

L Number	Hits	Search Text	DB	Time stamp
-	18504437	@ad<=19991119 or @rlad<=19991119	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 10:32
-	60	((mak\$4 adj3 copy) or spar\$4 or preserv\$4 or (back\$4 adj up)) adj3 ((program or memory or database) adj2 state)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 18:59
-	5	649310.ap.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 19:00
-	1863	(Joshi).in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 19:02
-	3	((Joshi).in.) and debug\$5.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 19:03
-	3765	(database same (modifi\$5 or updat\$4)) and (state near5 (preserv\$5 or cop\$5 or stor\$4 or back\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 19:11
-	113	(dynamic\$5 adj3 (link\$4 and execut\$4)) and (modifi\$4 near5 (code or program or instruction\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 19:12
-	19	(software adj4 patch\$4) and ( link\$4 near5 patch\$4 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 19:17
-	118	((dynamic\$5 adj3 (link\$4 and execut\$4)) and (modifi\$4 near5 (code or program or instruction\$1))) or ((software adj4 patch\$4) and ( link\$4 near5 patch\$4 ) ) and ((repository or database or storage) near3 (program or code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 14:38
-	47	((dynamic\$5 adj3 (link\$4 and execut\$4)) and (modifi\$4 near5 (code or program or instruction\$1))) or ((software adj4 patch\$4) and ( link\$4 near5 patch\$4 ) ) and ((repository or database or storage) near3 (program or code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 19:19
-	4	((database same (modifi\$5 or updat\$4)) and (state near5 (preserv\$5 or cop\$5 or stor\$4 or back\$4))) and ((dynamic\$5 adj3 (link\$4 and execut\$4)) and (modifi\$4 near5 (code or program or instruction\$1)))) and (@ad<=19991119 or @rlad<=19991119)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 19:31
-	5763	(persisten\$3 same (objects or repository or database))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 19:20
-	11	5999734.URPN.	USPAT	2003/06/21 19:23

-	47	((database or data or objects ) near8 coherenc\$3) and (upgrad\$4 or patch\$4) and ((persisten\$3 same (objects or repository or database)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 19:30
-	23	((database or data or objects ) near8 coherenc\$3) and (upgrad\$4 or patch\$4) and ((persisten\$3 same (objects or repository or database))) and (@ad<=19991119 or @rlad<=19991119)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 19:56
-	253	((link\$4 or bind\$4) adj4 ((upgrade or patch or new) ajd3 (code or program))) same ((original or copy) near3 (program or code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 19:46
-	6108	((database same (modifi\$5 or updat\$4)) and (state near5 (preserv\$5 or cop\$5 or stor\$4 or back\$4)) or ((persisten\$3 same (objects or repository or database))) and (@ad<=19991119 or @rlad<=19991119)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 14:36
-	12	(debug\$4 or upgrad\$4).ab. and ((modific\$4 or chang\$4 ) same ( synchroni\$5 or persisten\$4)) and (dynamic\$4 near7 (link\$4 or bind\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 19:55
-	64	(test\$4 or simulation or persisten\$4).ab. and ((modific\$4 or chang\$4 ) same ( synchroni\$5 or persisten\$4)) and (dynamic\$4 near7 (link\$4 or bind\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 19:56
-	60	((debug\$4 or upgrad\$4).ab. and ((modific\$4 or chang\$4 ) same ( synchroni\$5 or persisten\$4)) and (dynamic\$4 near7 (link\$4 or bind\$4))) or ((test\$4 or simulation or persisten\$4).ab. and ((modific\$4 or chang\$4 ) same ( synchroni\$5 or persisten\$4)) and (dynamic\$4 near7 (link\$4 or bind\$4))) and (@ad<=19991119 or @rlad<=19991119)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 19:56
-	1337	(persisten\$3 same (database or repository or storage or file\$1)) and (debug\$4 or test\$4 or modification or upgrad\$4) and ((multiple or multi) adj3 (user\$1 or developer\$1 or client\$1 or operator\$1 or author\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 14:33
-	87	(link\$4 same editor) and (open same access\$3) and (handle same process\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 14:36
-	21	((persisten\$3 same (database or repository or storage or file\$1)) and (debug\$4 or test\$4 or modification or upgrad\$4) and ((multiple or multi) adj3 (user\$1 or developer\$1 or client\$1 or operator\$1 or author\$3))) and ((link\$4 same editor) and (open same access\$3) and (handle same process\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 14:36
-	6108	((database same (modifi\$5 or updat\$4)) and (state near5 (preserv\$5 or cop\$5 or stor\$4 or back\$4)) or ((persisten\$3 same (objects or repository or database))) and (@ad<=19991119 or @rlad<=19991119)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 14:37
-	837	((persisten\$3 same (database or repository or storage or file\$1)) and (debug\$4 or test\$4 or modification or upgrad\$4) and ((multiple or multi) adj3 (user\$1 or developer\$1 or client\$1 or operator\$1 or author\$3))) and (@ad<=19991119 or @rlad<=19991119)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 14:40

-	614	(((((database same (modifi\$5 or updat\$4)) and (state near5 (preserv\$5 or cop\$5 or stor\$4 or back\$4))) or ((persisten\$3 same (objects or repository or database)))) and (@ad<=19991119 or @rlad<=19991119) ) and (((persisten\$3 same (database or repository or storage or file\$1)) and (debug\$4 or test\$4 or modification or upgrad\$4) and ((multiple or multi) adj3 (user\$1 or developer\$1 or client\$1 or operator\$1 or author\$3))) and (@ad<=19991119 or @rlad<=19991119))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 14:38
-	60539	((dynamic\$5 adj3 (link\$4 and execut\$4)) and (modifi\$4 near5 (code or program or instruction\$1 or file\$1))) or ((upgrad\$4 or modification\$1 or patch\$4) and (link\$4 or bind\$4 ) ) and ((repository or database or storage) near3 (program or code or file\$1 or processes or data or object\$1 or table\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 14:40
-	20	((persisten\$3 same (database or repository or storage or file\$1)) and (debug\$4 or test\$4 or modification or upgrad\$4) and ((multiple or multi) adj3 (user\$1 or developer\$1 or client\$1 or operator\$1 or author\$3))) and ((link\$4 same editor) and (open same access\$3) and (handle same process\$4))) and (@ad<=19991119 or @rlad<=19991119)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 15:27
-	1209	((appl\$4 or insert\$4 or mak\$3 or effect\$4) adj3 (modification or upgrad\$4 or changes or edit\$4 or deletion\$1 )) near6 (copy or clone\$1 or spare or copies)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 15:31

-	18	((((((((database same (modifi\$5 or updat\$4)) and (state near5 (preserv\$5 or cop\$5 or stor\$4 or back\$4))) or ((persisten\$3 same (objects or repository or database)))) and (@ad<=19991119 or @rlad<=19991119) ) and (((persisten\$3 same (database or repository or storage or file\$1)) and (debug\$4 or test\$4 or modification or upgrad\$4) and ((multiple or multi) adj3 (user\$1 or developer\$1 or client\$1 or operator\$1 or author\$3))) and (@ad<=19991119 or @rlad<=19991119))) and (((appl\$4 or insert\$4 or mak\$3 or effect\$4) adj3 (modification or upgrad\$4 or changes or edit\$4 or deletion\$1 )) near6 (copy or clone\$1 or spare or copies))) not (((persisten\$3 same (database or repository or storage or file\$1)) and (debug\$4 or test\$4 or modification or upgrad\$4) and ((multiple or multi) adj3 (user\$1 or developer\$1 or client\$1 or operator\$1 or author\$3))) and ((link\$4 same editor) and (open same access\$3) and (handle same process\$4))) and (@ad<=19991119 or @rlad<=19991119))) or (((((((dynamic\$5 adj3 (link\$4 and execut\$4)) and (modifi\$4 near5 (code or program or instruction\$1 or file\$1))) or ((upgrad\$4 or modification\$1 or patch\$4) and ( link\$4 or bind\$4 ) ) and ((repository or database or storage) near3 (program or code or file\$1 or processes or data or object\$1 or table\$1))) and (((appl\$4 or insert\$4 or mak\$3 or effect\$4) adj3 (modification or upgrad\$4 or changes or edit\$4 or deletion\$1 )) near6 (copy or clone\$1 or spare or copies))) and (((((((database same (modifi\$5 or updat\$4)) and (state near5 (preserv\$5 or cop\$5 or stor\$4 or back\$4))) or ((persisten\$3 same (objects or repository or database)))) and (@ad<=19991119 or @rlad<=19991119) ) and (((persisten\$3 same (database or repository or storage or file\$1)) and (debug\$4 or test\$4 or modification or upgrad\$4) and ((multiple or multi) adj3 (user\$1 or developer\$1 or client\$1 or operator\$1 or author\$3))) and (@ad<=19991119 or @rlad<=19991119))) and (((dynamic\$5 adj3 (link\$4 and execut\$4)) and (modifi\$4 near5 (code or program or instruction\$1 or file\$1))) or ((upgrad\$4 or modification\$1 or patch\$4) and ( link\$4 or bind\$4 ) ) and ((repository or database or storage) near3 (program or code or file\$1 or processes or data or object\$1 or table\$1)))))) not (((persisten\$3 same (database or repository or storage or file\$1)) and (debug\$4 or test\$4 or modification or upgrad\$4) and ((multiple or multi) adj3 (user\$1 or developer\$1 or client\$1 or operator\$1 or author\$3))) and ((link\$4 same editor) and (open same access\$3) and (handle same process\$4))) and (@ad<=19991119 or @rlad<=19991119))) and (dynamic\$5 same link\$4) and (debug\$4 or edit\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 15:38
---	----	--	---	---------------------

-	54	((((((((database same (modifi\$5 or updat\$4)) and (state near5 (preserv\$5 or cop\$5 or stor\$4 or back\$4))) or ((persisten\$3 same (objects or repository or database)))) and (@ad<=19991119 or @rlad<=19991119) ) and (((persisten\$3 same (database or repository or storage or file\$1)) and (debug\$4 or test\$4 or modification or upgrad\$4) and ((multiple or multi) adj3 (user\$1 or developer\$1 or client\$1 or operator\$1 or author\$3))) and (@ad<=19991119 or @rlad<=19991119))) and (((appl\$4 or insert\$4 or mak\$3 or effect\$4) adj3 (modification or upgrad\$4 or changes or edit\$4 or deletion\$1 )) near6 (copy or clone\$1 or spare or copies))) not (((persisten\$3 same (database or repository or storage or file\$1)) and (debug\$4 or test\$4 or modification or upgrad\$4) and ((multiple or multi) adj3 (user\$1 or developer\$1 or client\$1 or operator\$1 or author\$3))) and ((link\$4 same editor) and (open same access\$3) and (handle same process\$4))) and (@ad<=19991119 or @rlad<=19991119))) or (((((((dynamic\$5 adj3 (link\$4 and execut\$4)) and (modifi\$4 near5 (code or program or instruction\$1 or file\$1))) or ((upgrad\$4 or modification\$1 or patch\$4) and ( link\$4 or bind\$4 ) ) and ((repository or database or storage) near3 (program or code or file\$1 or processes or data or object\$1 or table\$1))) and (((appl\$4 or insert\$4 or mak\$3 or effect\$4) adj3 (modification or upgrad\$4 or changes or edit\$4 or deletion\$1 )) near6 (copy or clone\$1 or spare or copies))) and (((((((database same (modifi\$5 or updat\$4)) and (state near5 (preserv\$5 or cop\$5 or stor\$4 or back\$4))) or ((persisten\$3 same (objects or repository or database)))) and (@ad<=19991119 or @rlad<=19991119) ) and (((persisten\$3 same (database or repository or storage or file\$1)) and (debug\$4 or test\$4 or modification or upgrad\$4) and ((multiple or multi) adj3 (user\$1 or developer\$1 or client\$1 or operator\$1 or author\$3))) and (@ad<=19991119 or @rlad<=19991119))) and (((dynamic\$5 adj3 (link\$4 and execut\$4)) and (modifi\$4 near5 (code or program or instruction\$1 or file\$1))) or ((upgrad\$4 or modification\$1 or patch\$4) and ( link\$4 or bind\$4 ) ) and ((repository or database or storage) near3 (program or code or file\$1 or processes or data or object\$1 or table\$1)))))) not (((persisten\$3 same (database or repository or storage or file\$1)) and (debug\$4 or test\$4 or modification or upgrad\$4) and ((multiple or multi) adj3 (user\$1 or developer\$1 or client\$1 or operator\$1 or author\$3))) and ((link\$4 same editor) and (open same access\$3) and (handle same process\$4))) and (@ad<=19991119 or @rlad<=19991119))) and (@ad<=19991119 or @rlad<=19991119)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 15:39
---	----	---	---	---------------------

-	18	((((((((database same (modifi\$5 or updat\$4)) and (state near5 (preserv\$5 or cop\$5 or stor\$4 or back\$4))) or ((persisten\$3 same (objects or repository or database)))) and (@ad<=19991119 or @rlad<=19991119) ) and (((persisten\$3 same (database or repository or storage or file\$1)) and (debug\$4 or test\$4 or modification or upgrad\$4) and ((multiple or multi) adj3 (user\$1 or developer\$1 or client\$1 or operator\$1 or author\$3))) and (@ad<=19991119 or @rlad<=19991119))) and (((appl\$4 or insert\$4 or mak\$3 or effect\$4) adj3 (modification or upgrad\$4 or changes or edit\$4 or deletion\$1 )) near6 (copy or clone\$1 or spare or copies))) not (((persisten\$3 same (database or repository or storage or file\$1)) and (debug\$4 or test\$4 or modification or upgrad\$4) and ((multiple or multi) adj3 (user\$1 or developer\$1 or client\$1 or operator\$1 or author\$3))) and ((link\$4 same editor) and (open same access\$3) and (handle same process\$4))) and (@ad<=19991119 or @rlad<=19991119))) or (((((((dynamic\$5 adj3 (link\$4 and execut\$4)) and (modifi\$4 near5 (code or program or instruction\$1 or file\$1))) or ((upgrad\$4 or modification\$1 or patch\$4) and ( link\$4 or bind\$4 ) ) and ((repository or database or storage) near3 (program or code or file\$1 or processes or data or object\$1 or table\$1))) and (((appl\$4 or insert\$4 or mak\$3 or effect\$4) adj3 (modification or upgrad\$4 or changes or edit\$4 or deletion\$1 )) near6 (copy or clone\$1 or spare or copies))) and (((((((database same (modifi\$5 or updat\$4)) and (state near5 (preserv\$5 or cop\$5 or stor\$4 or back\$4))) or ((persisten\$3 same (objects or repository or database)))) and (@ad<=19991119 or @rlad<=19991119) ) and (((persisten\$3 same (database or repository or storage or file\$1)) and (debug\$4 or test\$4 or modification or upgrad\$4) and ((multiple or multi) adj3 (user\$1 or developer\$1 or client\$1 or operator\$1 or author\$3))) and (@ad<=19991119 or @rlad<=19991119))) and (((dynamic\$5 adj3 (link\$4 and execut\$4)) and (modifi\$4 near5 (code or program or instruction\$1 or file\$1))) or ((upgrad\$4 or modification\$1 or patch\$4) and ( link\$4 or bind\$4 ) ) and ((repository or database or storage) near3 (program or code or file\$1 or processes or data or object\$1 or table\$1)))))) not (((persisten\$3 same (database or repository or storage or file\$1)) and (debug\$4 or test\$4 or modification or upgrad\$4) and ((multiple or multi) adj3 (user\$1 or developer\$1 or client\$1 or operator\$1 or author\$3))) and ((link\$4 same editor) and (open same access\$3) and (handle same process\$4))) and (@ad<=19991119 or @rlad<=19991119))) and (dynamic\$5 same link\$4) and (debug\$4 or edit\$4)) and (@ad<=19991119 or @rlad<=19991119)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 18:18
---	----	--	---	---------------------

-	15	(merg\$4 or integrat\$4 or bind\$4 ) near5 (( original same modified) near5 (copies or copy or instance\$1 or code or file\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 15:51
-	15	(merg\$4 or integrat\$4 or bind\$4 ) near5 (( original same (modified or upgraded)) near5 (copies or copy or instance\$1 or code or file\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 15:51
-	14	((merg\$4 or integrat\$4 or bind\$4 ) near5 (( original same (modified or upgraded)) near5 (copies or copy or instance\$1 or code or file\$1))) and (@ad<=19991119 or @rlad<=19991119)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 16:44
-	1	5950198.URPN. and ((dynamic\$5 or runtime ) same ( compil\$4 or link\$4 or bind\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 16:46
-	2	(4558413.URPN. and (((dynamic\$5 adj3 (link\$4 and execut\$4)) and (modifi\$4 near5 (code or program or instruction\$1 or file\$1))) or ((upgrad\$4 or modification\$1 or patch\$4) and ( link\$4 or bind\$4 ) ) and ((repository or database or storage) near3 (program or code or file\$1 or processes or data or object\$1 or table\$1)))) and ((patch\$4 or merg\$4 or link\$4 or synchroni\$5 ) near5 (original adj8 (program or code or file or module or application)) )	USPAT	2003/06/22 17:36
-	15	("4321070"   "4463423"   "4558413"   "4853843"   "4912637"   "4916610"   "4965724"   "5084815"   "5107423"   "5142681"   "5261103"   "5287548"   "5339431"   "5359539"   "5367684").PN.	USPAT	2003/06/22 17:26
-	4	(dynamic\$5 near5 (bind\$4 or merg\$4 or link\$4)) same ((original or source or old ) near8 ((upgrad\$4 or patch\$3 or delta or update) adj4 ( code or program or application or file or module\$1)))	USPAT	2003/06/22 17:53
-	1	((run or execution) adj time) near4 (bind\$4 or merg\$4 or link\$4 or integrat\$4)) same ((original or source or old ) near8 ((upgrad\$4 or patch\$3 or delta or update) adj4 ( code or program or application or file or module\$1)))	USPAT	2003/06/22 18:14
-	58	(database near8 debug\$4) and ( ( replica\$1 or copy or copies) same (modif\$6 or updat\$ or upgrad\$4 or edit\$4)) and (merg\$4 or synchroni\$4 or integrat\$4)	USPAT	2003/06/22 18:33
-	27	((database near8 debug\$4) and ( ( replica\$1 or copy or copies) same (modif\$6 or updat\$ or upgrad\$4 or edit\$4)) and (merg\$4 or synchroni\$4 or integrat\$4)) and ((multiple or multi) adj3(operators or authors or clients or users or instances))	USPAT	2003/06/22 18:18
-	7	((((database near8 debug\$4) and ( ( replica\$1 or copy or copies) same (modif\$6 or updat\$ or upgrad\$4 or edit\$4)) and (merg\$4 or synchroni\$4 or integrat\$4)) and ((multiple or multi) adj3(operators or authors or clients or users or instances))) and (@ad<=19991119 or @rlad<=19991119)) and ((dynamic\$4 or ((run or execution) adj2 time)) near4 ( bind\$4 or merg\$4 or integrat\$4 or link\$4 ))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 18:21

-	27	((database near8 debug\$4) and (replica\$1 or copy or copies) same (modif\$6 or updat\$ or upgrad\$4 or edit\$4)) and (merg\$4 or synchroni\$4 or integrat\$4)) and ((multiple or multi) adj3(operators or authors or clients or users or instances))) and (@ad<=19991119 or @rlad<=19991119)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 11:17
-	13	(( (symbolic adj2 (link or reference)) or pointer\$1) near5 (( upgraded or modified or patched) adj2 (area\$1 or portion\$1 or block\$1 or section\$1))) and debug\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 19:35
-	13	(( (symbolic adj2 (link or reference)) or pointer\$1) near5 (( upgraded or modified or patched) adj2 (area\$1 or portion\$1 or block\$1 or section\$1))) and debug\$4 ) and (@ad<=19991119 or @rlad<=19991119)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 19:37
-	4	((refer\$4 or point\$4) adj2 user\$1) near4 ((marked or modified or upgraded ) same (version\$1 or copies or portions or code or section\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 19:45
-	3	6249793.URPN.	USPAT	2003/06/22 19:43
-	2	6249793.URPN. and (debug\$4 or test\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 19:47
-	1	(publish\$4 near4 (updated or upgraded or latest) adj3 (version or software)) same (pointer or link\$1 or hyperlink\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 19:49
-	2	(publish\$4 near4 ((updated or upgraded or latest) adj3 (version or software))) same (pointer or link\$1 or hyperlink\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 19:49
-	6146	((717/124-129,168-172) or (707/8,10,20,205) or (700/200) or (349/110)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 11:19
-	30831	(modif\$5 near7 (version or copy))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 14:49



-	19	((modif\$5 near7 (version or copy))) and ((US-6249793-\$ or US-6029178-\$ or US-5561763-\$ or US-6314408-\$ or US-6154215-\$ or US-5999734-\$ or US-5829022-\$ or US-6457170-\$ or US-6067641-\$ or US-5848274-\$ or US-5764989-\$ or US-5421012-\$ or US-6374268-\$ or US-6397125-\$ or US-5950198-\$ or US-5946700-\$ or US-5946689-\$ or US-6487560-\$ or US-6349407-\$ or US-6236993-\$ or US-5862364-\$ or US-5481722-\$ or US-5901315-\$ or US-6490721-\$ or US-6112025-\$ or US-5603024-\$).did. or (US-5440735-\$ or US-6557089-\$ or US-5586310-\$ or US-6442748-\$ or US-6134559-\$ or US-5828885-\$ or US-5522079-\$ or US-4853843-\$ or US-4558413-\$ or US-5884033-\$ or US-5675803-\$).did. or (US-20030004952-\$ or US-20010034822-\$ or US-20010039594-\$).did.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 11:42
-	18	((modif\$5 near7 (version or copy))) and ((US-6249793-\$ or US-6029178-\$ or US-5561763-\$ or US-6314408-\$ or US-6154215-\$ or US-5999734-\$ or US-5829022-\$ or US-6457170-\$ or US-6067641-\$ or US-5848274-\$ or US-5764989-\$ or US-5421012-\$ or US-6374268-\$ or US-6397125-\$ or US-5950198-\$ or US-5946700-\$ or US-5946689-\$ or US-6487560-\$ or US-6349407-\$ or US-6236993-\$ or US-5862364-\$ or US-5481722-\$ or US-5901315-\$ or US-6490721-\$ or US-6112025-\$ or US-5603024-\$).did. or (US-5440735-\$ or US-6557089-\$ or US-5586310-\$ or US-6442748-\$ or US-6134559-\$ or US-5828885-\$ or US-5522079-\$ or US-4853843-\$ or US-4558413-\$ or US-5884033-\$ or US-5675803-\$).did. or (US-20030004952-\$ or US-20010034822-\$ or US-20010039594-\$).did.)) and	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 14:12
-	136	((@ad<=19991119 or @rlad<=19991119) (make and modif\$6) near7 ( copy or version)) and ( concurrent or thread or fork or child) and ((debug\$5 or updat\$4 or test\$4).as. or 717/\$ or 714/\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 13:06
-	101	((make and modif\$6) near7 ( copy or version)) and ( concurrent or thread or fork or child) and ((debug\$5 or updat\$4 or test\$4).as. or 717/\$ or 714/\$)) and (@ad<=19991119 or @rlad<=19991119)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 13:31
-	101	((modif\$5 near7 (version or copy))) and (((make and modif\$6) near7 ( copy or version)) and ( concurrent or thread or fork or child) and ((debug\$5 or updat\$4 or test\$4).as. or 717/\$ or 714/\$)) and (@ad<=19991119 or @rlad<=19991119))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 11:45
-	7	((modif\$5 near7 (version or copy))) and (((make and modif\$6) near7 ( copy or version)) and ( concurrent or thread or fork or child) and ((debug\$5 or updat\$4 or test\$4).as. or 717/\$ or 714/\$)) and (@ad<=19991119 or @rlad<=19991119)) and ((thread or child or fork) same ((make or modif\$5) near6 (copy or version)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 11:46

-	10	("4369983"   "4649473"   "4688170"   "4787028"   "5093916"   "5175828"   "5182750"   "5182751"   "5185742"   "5212787").PN.	USPAT	2003/11/28 11:55
-	63	((make) near7 ( copy or version)) and (modif\$5 adj3 (copy or version)) and (((modif\$5 near7 (version or copy))) and (((make and modif\$6) near7 ( copy or version)) and ( concurrent or thread or fork or child) and ((debug\$5 or updat\$4 or test\$4).as. or 717/\$ or 714/\$)) and (@ad<=19991119 or @rlad<=19991119)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 11:57
-	8	((make) near7 ( copy or version)) and (modif\$5 adj3 (copy or version)) and (((modif\$5 near7 (version or copy))) and (((make and modif\$6) near7 ( copy or version)) and ( concurrent or thread or fork or child) and ((debug\$5 or updat\$4 or test\$4).as. or 717/\$ or 714/\$)) and (@ad<=19991119 or @rlad<=19991119))) and (without near3 (exit\$4 or break\$4 or interrupt\$4 or stop\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 15:12
-	5	((modif\$5 near7 (version or copy))) and (((make and modif\$6) near7 ( copy or version)) and ( concurrent or thread or fork or child) and ((debug\$5 or updat\$4 or test\$4).as. or 717/\$ or 714/\$)) and (@ad<=19991119 or @rlad<=19991119))) and ((thread or child or fork) same ((make or modif\$5) near6 (copy or version)))) and (debug\$4 or test or diagnos\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 12:08
-	8	((modif\$5 near7 (version or copy))) and (((make and modif\$6) near7 ( copy or version)) and ( concurrent or thread or fork or child) and ((debug\$5 or updat\$4 or test\$4).as. or 717/\$ or 714/\$)) and (@ad<=19991119 or @rlad<=19991119))) and (debug\$4 or test or diagnos\$7).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 12:08
-	8	((make or modif\$6) near7 ( copy or version)) and dynamic\$5 and (debug\$5 or updat\$4 or test\$4 or diagnost\$5 or validat\$4).ab. and ((US-6249793-\$ or US-6029178-\$ or US-5561763-\$ or US-6314408-\$ or US-6154215-\$ or US-5999734-\$ or US-5829022-\$ or US-6457170-\$ or US-6067641-\$ or US-5848274-\$ or US-5764989-\$ or US-5421012-\$ or US-6374268-\$ or US-6397125-\$ or US-5950198-\$ or US-5946700-\$ or US-5946689-\$ or US-6487560-\$ or US-6349407-\$ or US-6236993-\$ or US-5862364-\$ or US-5481722-\$ or US-5901315-\$ or US-6490721-\$ or US-6112025-\$ or US-5603024-\$).did. or (US-5440735-\$ or US-6557089-\$ or US-5586310-\$ or US-6442748-\$ or US-6134559-\$ or US-5828885-\$ or US-5522079-\$ or US-4853843-\$ or US-4558413-\$ or US-5884033-\$ or US-5675803-\$ or US-5339430-\$ or US-5303379-\$ or US-6401220-\$).did. or (US-20030004952-\$ or US-20010034822-\$ or US-20010039594-\$).did.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 13:09

-	4	((make and modif\$6) near7 ( copy or version)) and ( concurrent or thread or fork or child or (without adj3 (interrrupting or exit\$4))) and (debug\$5 or updat\$4 or test\$4 or diagnost\$5 or validat\$4).ab. and ((US-6249793-\$ or US-6029178-\$ or US-5561763-\$ or US-6314408-\$ or US-6154215-\$ or US-5999734-\$ or US-5829022-\$ or US-6457170-\$ or US-6067641-\$ or US-5848274-\$ or US-5764989-\$ or US-5421012-\$ or US-6374268-\$ or US-6397125-\$ or US-5950198-\$ or US-5946700-\$ or US-5946689-\$ or US-6487560-\$ or US-6349407-\$ or US-6236993-\$ or US-5862364-\$ or US-5481722-\$ or US-5901315-\$ or US-6490721-\$ or US-6112025-\$ or US-5603024-\$).did. or (US-5440735-\$ or US-6557089-\$ or US-5586310-\$ or US-6442748-\$ or US-6134559-\$ or US-5828885-\$ or US-5522079-\$ or US-4853843-\$ or US-4558413-\$ or US-5884033-\$ or US-5675803-\$ or US-5339430-\$ or US-5303379-\$ or US-6401220-\$).did. or (US-20030004952-\$ or US-20010034822-\$ or US-20010039594-\$).did.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 13:29
-	3	debug\$5.ti. and (make near4 copy) and (modif\$3 near4 copy)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 13:31
-	0	(debug\$5.ti. and (make near4 copy) and (modif\$3 near4 copy)) and (@ad<=19991119 or @rlad<=19991119)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 13:39
-	8	(debug\$4 or test or diagnos\$7).ti. and (make near4 copy) and (modif\$3 near4 copy)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 13:33
-	5	((debug\$4 or test or diagnos\$7).ti. and (make near4 copy) and (modif\$3 near4 copy)) and (@ad<=19991119 or @rlad<=19991119)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 13:31
-	5	(debug\$4 or test or diagnos\$7).ti. and ((US-6249793-\$ or US-6029178-\$ or US-5561763-\$ or US-6314408-\$ or US-6154215-\$ or US-5999734-\$ or US-5829022-\$ or US-6457170-\$ or US-6067641-\$ or US-5848274-\$ or US-5764989-\$ or US-5421012-\$ or US-6374268-\$ or US-6397125-\$ or US-5950198-\$ or US-5946700-\$ or US-5946689-\$ or US-6487560-\$ or US-6349407-\$ or US-6236993-\$ or US-5862364-\$ or US-5481722-\$ or US-5901315-\$ or US-6490721-\$ or US-6112025-\$ or US-5603024-\$).did. or (US-5440735-\$ or US-6557089-\$ or US-5586310-\$ or US-6442748-\$ or US-6134559-\$ or US-5828885-\$ or US-5522079-\$ or US-4853843-\$ or US-4558413-\$ or US-5884033-\$ or US-5675803-\$ or US-5339430-\$ or US-5303379-\$ or US-6401220-\$).did. or (US-20030004952-\$ or US-20010034822-\$ or US-20010039594-\$).did.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 13:48

-	48	((make and modif\$6) near7 ( copy or version)) and ( concurrent or thread or fork or child) and ((debug\$5 or updat\$4 or test\$4).as. or 717/\$ or 714/\$)) and ((make and modif\$5) near3 (copy or version or image)) and 707/\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 13:55
-	40	((((make and modif\$6) near7 ( copy or version)) and ( concurrent or thread or fork or child) and ((debug\$5 or updat\$4 or test\$4).as. or 717/\$ or 714/\$)) and ((make and modif\$5) near3 (copy or version or image)) and 707/\$) and (@ad<=19991119 or @rlad<=19991119)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 13:39
-	0	(debug\$4 or test or diagnos\$7 or validat\$\$ or patch).ti. and (((make and modif\$6) near7 ( copy or version)) and ( concurrent or thread or fork or child) and ((debug\$5 or updat\$4 or test\$4).as. or 717/\$ or 714/\$)) and ((make and modif\$5) near3 (copy or version or image)) and 707/\$) and (@ad<=19991119 or @rlad<=19991119)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 13:48
-	2	(debug\$4 or test or diagnos\$7 or validat\$\$ or patch).ab. and (((make and modif\$6) near7 ( copy or version)) and ( concurrent or thread or fork or child) and ((debug\$5 or updat\$4 or test\$4).as. or 717/\$ or 714/\$)) and ((make and modif\$5) near3 (copy or version or image)) and 707/\$) and (@ad<=19991119 or @rlad<=19991119)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 13:48
-	9	((make and modif\$5) near3 (copy or version or image)) and ((US-6249793-\$ or US-6029178-\$ or US-5561763-\$ or US-6314408-\$ or US-6154215-\$ or US-5999734-\$ or US-5829022-\$ or US-6457170-\$ or US-6067641-\$ or US-5848274-\$ or US-5764989-\$ or US-5421012-\$ or US-6374268-\$ or US-6397125-\$ or US-5950198-\$ or US-5946700-\$ or US-5946689-\$ or US-6487560-\$ or US-6349407-\$ or US-6236993-\$ or US-5862364-\$ or US-5481722-\$ or US-5901315-\$ or US-6490721-\$ or US-6112025-\$ or US-5603024-\$).did. or (US-5440735-\$ or US-6557089-\$ or US-5586310-\$ or US-6442748-\$ or US-6134559-\$ or US-5828885-\$ or US-5522079-\$ or US-4853843-\$ or US-4558413-\$ or US-5884033-\$ or US-5675803-\$ or US-5339430-\$ or US-5303379-\$ or US-6401220-\$).did. or (US-20030004952-\$ or US-20010034822-\$ or US-20010039594-\$).did.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 14:08
-	38	((make near5 copy) and debug\$4.ab.) or ((make near5 copy) and debug\$4.ti.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 14:11
-	26	((generat\$4 near5 copy) and debug\$4.ab.) or ((generat\$4 near5 copy) and debug\$4.ti.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 14:12
-	56	((make near5 copy) and debug\$4.ab.) or ((make near5 copy) and debug\$4.ti.) or ((generat\$4 near5 copy) and debug\$4.ab.) or ((generat\$4 near5 copy) and debug\$4.ti.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 14:12

-	37	((((make near5 copy) and debug\$4.ab.) or ((make near5 copy) and debug\$4.ti.)) or ((generat\$4 near5 copy) and debug\$4.ab.) or ((generat\$4 near5 copy) and debug\$4.ti.))) and (@ad<=19991119 or @rlad<=19991119)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 14:16
-	8	((((make near5 copy) and debug\$4.ab.) or ((make near5 copy) and debug\$4.ti.)) and ((generat\$4 near5 copy) and debug\$4.ab.) or ((generat\$4 near5 copy) and debug\$4.ti.)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 14:12
-	5	((((make near5 copy) and debug\$4.ab.) or ((make near5 copy) and debug\$4.ti.)) and ((generat\$4 near5 copy) and debug\$4.ab.) or ((generat\$4 near5 copy) and debug\$4.ti.))) and (@ad<=19991119 or @rlad<=19991119)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 16:24
-	12	(modif\$5 near7 (version or copy)) and ((make or generat\$4) near4 copy) and ((US-6249793-\$ or US-6029178-\$ or US-5561763-\$ or US-6314408-\$ or US-6154215-\$ or US-5999734-\$ or US-5829022-\$ or US-6457170-\$ or US-6067641-\$ or US-5848274-\$ or US-5764989-\$ or US-5421012-\$ or US-6374268-\$ or US-6397125-\$ or US-5950198-\$ or US-5946700-\$ or US-5946689-\$ or US-6487560-\$ or US-6349407-\$ or US-6236993-\$ or US-5862364-\$ or US-5481722-\$ or US-5901315-\$ or US-6490721-\$ or US-6112025-\$ or US-5603024-\$).did. or (US-5440735-\$ or US-6557089-\$ or US-5586310-\$ or US-6442748-\$ or US-6134559-\$ or US-5828885-\$ or US-5522079-\$ or US-4853843-\$ or US-4558413-\$ or US-5884033-\$ or US-5675803-\$ or US-5339430-\$ or US-5303379-\$ or US-6401220-\$ or US-6341291-\$ or US-5729744-\$).did. or (US-20030004952-\$ or US-20010034822-\$ or US-20010039594-\$).did.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 15:44
-	126	patch\$4.ab. and (modif\$5 near5 (copy or duplicate or shadow or image))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 15:12
-	0	(patch\$4.ab. and (modif\$5 near5 (copy or duplicate or shadow or image))) and (@ad<=19991119 or @rlad<=19991119) and debug\$4 and (without near3 (exit\$4 or break\$4 or interrupt\$4 or stop\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 15:13
-	5	(patch\$4.ab. and (modif\$5 near5 (copy or duplicate or shadow or image))) and (@ad<=19991119 or @rlad<=19991119) and debug\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 15:27
-	40	((dynamic or non-intrusive or non-interactive ) near4 ((merg\$4 or debug\$5))) and ((duplica or copy or replica ) near5 modif\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 15:29
-	26	((((dynamic or non-intrusive or non-interactive ) near4 ((merg\$4 or debug\$5))) and ((duplica or copy or replica ) near5 modif\$6)) and (@ad<=19991119 or @rlad<=19991119)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 15:32

-	17	((make and modif\$6) near7 ( copy or version)) and ( concurrent or thread or fork or child) and ((debug\$5 or updat\$4 or test\$4).as. or 717/\$ or 714/\$)) and (((dynamic or non-intrusive or non-interactive ) near4 ((merg\$4 or debug\$5))) and ((duplica or copy or replica ) near5 modif\$6)) and (@ad<=19991119 or @rlad<=19991119))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 16:23
-	7	((US-6249793-\$ or US-6029178-\$ or US-5561763-\$ or US-6314408-\$ or US-6154215-\$ or US-5999734-\$ or US-5829022-\$ or US-6457170-\$ or US-6067641-\$ or US-5848274-\$ or US-5764989-\$ or US-5421012-\$ or US-6374268-\$ or US-6397125-\$ or US-5950198-\$ or US-5946700-\$ or US-5946689-\$ or US-6487560-\$ or US-6349407-\$ or US-6236993-\$ or US-5862364-\$ or US-5481722-\$ or US-5901315-\$ or US-6490721-\$ or US-6112025-\$ or US-5603024-\$).did. or (US-5440735-\$ or US-6557089-\$ or US-5586310-\$ or US-6442748-\$ or US-6134559-\$ or US-5828885-\$ or US-5522079-\$ or US-4853843-\$ or US-4558413-\$ or US-5884033-\$ or US-5675803-\$ or US-5339430-\$ or US-5303379-\$ or US-6401220-\$ or US-6341291-\$ or US-5729744-\$).did. or (US-20030004952-\$ or US-20010034822-\$ or US-20010039594-\$).did.) and debug\$5.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 15:43
-	3	((modif\$5 near7 (version or copy)) or (( make or generat\$4) near4 (replica or shadow or copy))) and (((US-6249793-\$ or US-6029178-\$ or US-5561763-\$ or US-6314408-\$ or US-6154215-\$ or US-5999734-\$ or US-5829022-\$ or US-6457170-\$ or US-6067641-\$ or US-5848274-\$ or US-5764989-\$ or US-5421012-\$ or US-6374268-\$ or US-6397125-\$ or US-5950198-\$ or US-5946700-\$ or US-5946689-\$ or US-6487560-\$ or US-6349407-\$ or US-6236993-\$ or US-5862364-\$ or US-5481722-\$ or US-5901315-\$ or US-6490721-\$ or US-6112025-\$ or US-5603024-\$).did. or (US-5440735-\$ or US-6557089-\$ or US-5586310-\$ or US-6442748-\$ or US-6134559-\$ or US-5828885-\$ or US-5522079-\$ or US-4853843-\$ or US-4558413-\$ or US-5884033-\$ or US-5675803-\$ or US-5339430-\$ or US-5303379-\$ or US-6401220-\$ or US-6341291-\$ or US-5729744-\$).did. or (US-20030004952-\$ or US-20010034822-\$ or US-20010039594-\$).did.) and debug\$5.ab.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 15:47

-	1	((US-6249793-\$ or US-6029178-\$ or US-5561763-\$ or US-6314408-\$ or US-6154215-\$ or US-5999734-\$ or US-5829022-\$ or US-6457170-\$ or US-6067641-\$ or US-5848274-\$ or US-5764989-\$ or US-5421012-\$ or US-6374268-\$ or US-6397125-\$ or US-5950198-\$ or US-5946700-\$ or US-5946689-\$ or US-6487560-\$ or US-6349407-\$ or US-6236993-\$ or US-5862364-\$ or US-5481722-\$ or US-5901315-\$ or US-6490721-\$ or US-6112025-\$ or US-5603024-\$).did. or (US-5440735-\$ or US-6557089-\$ or US-5586310-\$ or US-6442748-\$ or US-6134559-\$ or US-5828885-\$ or US-5522079-\$ or US-4853843-\$ or US-4558413-\$ or US-5884033-\$ or US-5675803-\$ or US-5339430-\$ or US-5303379-\$ or US-6401220-\$ or US-6341291-\$ or US-5729744-\$).did. or (US-20030004952-\$ or US-20010034822-\$ or US-20010039594-\$).did.) and Accenture.as. (team or group developer) adj3 debug\$5) and (merg\$4 or synchroni\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 16:10
-	136		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 16:24
-	99	((team or group developer) adj3 debug\$5) and (merg\$4 or synchroni\$5)) and (@ad<=19991119 or @rlad<=19991119)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 16:24
-	4	((team or group developer) adj3 debug\$5) and (merg\$4 or synchroni\$5)) and (@ad<=19991119 or @rlad<=19991119)) and accenture.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 16:24
-	7	((team or group developer) adj3 debug\$5) and (merg\$4 or synchroni\$5)) and (@ad<=19991119 or @rlad<=19991119)) not (((team or group developer) adj3 debug\$5) and (merg\$4 or synchroni\$5)) and (@ad<=19991119 or @rlad<=19991119)) and accenture.as.) and ( modif\$6 adj5 (copy or replica or image or shadow))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 17:13
-	2	( valid\$6 or test or debug\$5).ab. and ( merg\$5 same (copy and original)) and (program adj state)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 17:18
-	6	(synchroni\$5 near5 (code adj3 (change or modification or updat\$4))) and ((modif\$5 near7 (version or copy)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 17:20